

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A 241.01
F 762E
exp. 2

March 3, 1965

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
FOREST PRODUCTS LABORATORY
MADISON, WISCONSIN

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

MAR 15 1965

Exchange of Translations Scheme
(British Commonwealth Forestry Conference)

CURRENT SERIAL RECORDS

Translation No.

Author, Title, and Source

(a) Translations completed and distributed

- 594 MORI, M., and HOSHI, T. Studies on surfacing wood with planer (II). Effect of cutting factors on the surface quality of finish. Bulletin No. 160, pp. 19-35, October 1963, - Government Forest Experiment Station Meguro, Tokyo, Japan.
- 595 EGNER, K., BRUNING, H., and KOLB, H. Bonded solid and laminated woods: behavior under extreme climatic conditions and non-destructive testing. Luftfahrt-Forschungsberichte (20): 1-26, 1963.
- 596 VANESSE, R. Physical properties of particle boards produced by auto-agglomeration. A study of the variation of thickness of the boards. (II) Influence of moisture of sawdust. Extrait de Agricultura, Vol. II, series 2, No. 4, pp. 475-491, 1963.
- 597 KEYLWERTH, R. and NOACK, D. The kiln drying of cut wood. Holz als Roh-und Werkstoff 22(1): 29-36, January 1964.

(b) Translations being reproduced

NIL

(c) Translations scheduled

- 621 KALNINS, A. Plasticized wood. Latv. PSR Zinat. Akad. Vestis, Riga 4:48-55, 1964.
- 622 KALNINS, A., DARZINS, T. A., and BERZINS, G. V. Plasticizing wood with preliminary treatment of ammonia. Derev. Prom. 5:11-13, 1964.

